

0.7-18-00

A Box Set

**UTILITY PATENT APPLICATION TRANSMITTAL**  
**(Small Entity)**

(Only for new nonprovisional applications under 37 CFR 1.53(b))

Docket No.  
DEX-0075

Total Pages in this Submission

**TO THE ASSISTANT COMMISSIONER FOR PATENTS**Box Patent Application  
Washington, D.C. 20231

Transmitted herewith for filing under 35 U.S.C. 111(a) and 37 C.F.R. 1.53(b) is a new utility patent application for invention entitled:

**METHOD OF DIAGNOSING, MONITORING, STAGING IMAGING AND TREATING COLON CANCER**

and invented by:

Macina and Sun

If a **CONTINUATION APPLICATION**, check appropriate box and supply the requisite information:☐ Continuation ☐ Divisional ☒ Continuation-in-part (CIP) of prior application No.: PCT/US99/10498

Which is a:

☐ Continuation ☐ Divisional ☐ Continuation-in-part (CIP) of prior application No.: \_\_\_\_\_

Which is a:

☐ Continuation ☐ Divisional ☐ Continuation-in-part (CIP) of prior application No.: \_\_\_\_\_

Enclosed are:

**Application Elements**

1. ☒ Filing fee as calculated and transmitted as described below
2. ☒ Specification having 23 pages and including the following:
  - a. ☒ Descriptive Title of the Invention
  - b. ☒ Cross References to Related Applications (if applicable)
  - c. ☐ Statement Regarding Federally-sponsored Research/Development (if applicable)
  - d. ☐ Reference to Microfiche Appendix (if applicable)
  - e. ☒ Background of the Invention
  - f. ☒ Brief Summary of the Invention
  - g. ☐ Brief Description of the Drawings (if drawings filed)
  - h. ☒ Detailed Description
  - i. ☒ Claim(s) as Classified Below
  - j. ☒ Abstract of the Disclosure

# UTILITY PATENT APPLICATION TRANSMITTAL (Small Entity)

(Only for new nonprovisional applications under 37 CFR 1.53(b))

Docket No.  
DEX-0075

Total Pages in this Submission

## Application Elements (Continued)

3. ☐ Drawing(s) (when necessary as prescribed by 35 USC 113)  
a. ☐ Formal      b. ☐ Informal      Number of Sheets \_\_\_\_\_
4. ☒ Oath or Declaration  
a. ☐ Newly executed (original or copy)      ☒ Unexecuted  
b. ☐ Copy from a prior application (37 CFR 1.63(d)) (for continuation/divisional application only)  
c. ☒ With Power of Attorney      ☐ Without Power of Attorney  
d. ☐ DELETION OF INVENTOR(S)  
Signed statement attached deleting inventor(s) named in the prior application,  
see 37 C.F.R. 1.63(d)(2) and 1.33(b).
5. ☐ Incorporation By Reference (usable if Box 4b is checked)  
The entire disclosure of the prior application, from which a copy of the oath or declaration is supplied under Box 4b, is considered as being part of the disclosure of the accompanying application and is hereby incorporated by reference therein.
6. ☐ Computer Program in Microfiche
7. ☒ Genetic Sequence Submission (if applicable, all must be included)  
a. ☒ Paper Copy  
b. ☒ Computer Readable Copy  
c. ☒ Statement Verifying Identical Paper and Computer Readable Copy

## Accompanying Application Parts

8. ☐ Assignment Papers (cover sheet & documents)
9. ☐ 37 CFR 3.73(b) Statement (when there is an assignee)
10. ☐ English Translation Document (if applicable)
11. ☐ Information Disclosure Statement/PTO-1449      ☐ Copies of IDS Citations
12. ☐ Preliminary Amendment
13. ☒ Acknowledgment postcard
14. ☒ Certificate of Mailing  
☐ First Class      ☒ Express Mail (Specify Label No.): EL603801925US

# UTILITY PATENT APPLICATION TRANSMITTAL (Small Entity)

(Only for new nonprovisional applications under 37 CFR 1.53(b))

Docket No.  
DEX-0075

Total Pages in this Submission

## Accompanying Application Parts (Continued)

15. ☐ Certified Copy of Priority Document(s) (if foreign priority is claimed)
16. ☒ Small Entity Statement(s) - Specify Number of Statements Submitted: 1
- ☐ Additional Enclosures (please identify below):


## Fee Calculation and Transmittal

### CLAIMS AS FILED

For	#Filed	#Allowed	#Extra	Rate	Fee
Total Claims	17	- 20 =	0	x \$9.00	\$0.00
Indep. Claims	8	- 3 =	5	x \$39.00	\$195.00
Multiple Dependent Claims (check if applicable) <input checked="" type="checkbox"/>					\$130.00
BASIC FEE					\$345.00
OTHER FEE (specify purpose)					\$0.00
TOTAL FILING FEE					\$670.00

- ☒ A check in the amount of **\$670.00** to cover the filing fee is enclosed.
- ☒ The Commissioner is hereby authorized to charge and credit Deposit Account No. **12-1086** as described below. A duplicate copy of this sheet is enclosed.
- ☐ Charge the amount of \_\_\_\_\_ as filing fee.
- ☒ Credit any overpayment.
- ☒ Charge any additional filing fees required under 37 C.F.R. 1.16 and 1.17.
- ☐ Charge the issue fee set in 37 C.F.R. 1.18 at the mailing of the Notice of Allowance, pursuant to 37 C.F.R. 1.311(b).

Dated: July 17, 2000

  
Signature

Kathleen A. Tyrrell  
Reg. No. 38,350  
Law Offices of Jane Massey Licata  
66 E. Main Street  
Marlton, NJ 08053  
Tel: 856-810-1515  
Fax: 856-810-1454

cc:

DEX-0075


CERTIFICATE OF EXPRESS MAILING

"Express Mail" Label No.EL603801925US

Date of Deposit JULY 17, 2000

I hereby certify that this paper is being deposited with the United States Postal Service "Express Mail Post Office to Addressee" service under 37 CFR 1.10 on the date indicated above and is addressed to the "BOX SEQUENCE", Assistant Commissioner for Patents, Washington, D.C. 20231.

- 1) Patent Application Transmittal Letter (2 copies);
- 2) Application consisting of 23 pages of Specification, including three (3) pages of Claims, and one (1) page of Abstract;
- 3) Return Post Card;
- 4) Check in the amount of \$670.00;
- 5) Verified Statement Claiming Small Entity Status;
- 6) Unexecuted Declaration and Power of Attorney;
- 7) Statement to Support Filing and Submission in Accordance with 37 CRF §§1.821-1.825;
- 8) Sequence listing; and
- 9) Diskette containing computer readable copy of Sequence Listing.

  
KATHLEEN A. TYRRELL

002740 95587950

VERIFIED STATEMENT (DECLARATION) CLAIMING SMALL ENTITY STATUS (37 CFR 1.9(f) AND 1.27 (c)) - SMALL BUSINESS CONCERN			Docket No. DEX-0075
Serial No. Not yet assigned	Filing Date Herewith	Patent No.	Issue Date
Applicant/ Macina and Sun Patentee:			
Invention: METHOD OF DIAGNOSING, MONITORING, STAGING, IMAGING AND TREATING COLON CANCER			
I hereby declare that I am: <input type="checkbox"/> the owner of the small business concern identified below; <input checked="" type="checkbox"/> an official of the small business concern empowered to act on behalf of the concern identified below:			
NAME OF CONCERN: diaDEXUS, LLC.			
ADDRESS OF CONCERN: 3303 Octavine Drive, Santa Clara, CA 95054			
<p>I hereby declare that the above-identified small business concern qualifies as a small business concern as defined in 13 CFR 121.3-18, and reproduced in 37 CFR 1.9(d), for purposes of paying reduced fees under Section 41(a) and (b) of Title 35, United States Code, in that the number of employees of the concern, including those of its affiliates, does not exceed 500 persons. For purposes of this statement, (1) the number of employees of the business concern is the average over the previous fiscal year of the concern of the persons employed on a full-time, part-time or temporary basis during each of the pay periods of the fiscal year, and (2) concerns are affiliates of each other when either, directly or indirectly, one concern controls or has the power to control the other, or a third party or parties controls or has the power to control both.</p> <p>I hereby declare that rights under contract or law have been conveyed to and remain with the small business concern identified above with regard to the above identified invention described in:</p> <p><input checked="" type="checkbox"/> the specification filed herewith with title as listed above; <input type="checkbox"/> the application identified above; <input type="checkbox"/> the patent identified above.</p> <p>If the rights held by the above-identified small business concern are not exclusive, each individual, concern or organization having rights to the invention is listed on the next page and no rights to the invention are held by any person, other than the inventor, who could not qualify as an independent inventor under 37 CFR 1.9(c) or by any concern which would not qualify as a small business concern under 37 CFR 1.9(d) or a nonprofit organization under 37 CFR 1.9(e).</p>			

DIADEXUS

Fax: 4084965777

Jul 17 '00 12:33 P.04

07/17/00 MON 13:06 FAX 8583101454

LAW OFFICES

003

Page 2 of 2

Each person, concern or organization to which I have assigned, granted, conveyed, or licensed or am under an obligation under contract or law to assign, grant, convey, or license any rights in the invention is listed below:

- ☒ no such person, concern or organization exists.  
☐ each such person, concern or organization is listed below.

FULL NAME \_\_\_\_\_  
 ADDRESS \_\_\_\_\_

☐ Individual ☐ Small Business Concern ☐ Nonprofit Organization

FULL NAME \_\_\_\_\_  
 ADDRESS \_\_\_\_\_

☐ Individual ☐ Small Business Concern ☐ Nonprofit Organization

FULL NAME \_\_\_\_\_  
 ADDRESS \_\_\_\_\_

☐ Individual ☐ Small Business Concern ☐ Nonprofit Organization

FULL NAME \_\_\_\_\_  
 ADDRESS \_\_\_\_\_

☐ Individual ☐ Small Business Concern ☐ Nonprofit Organization

Separate verified statements are required from each named person, concern or organization having rights to the invention averring to their status as small entities. (37 CFR 1.27)

I acknowledge the duty to file, in this application or patent, notification of any change in status resulting in loss of entitlement to small entity status prior to paying, or at the time of paying, the earliest of the issue fee or any maintenance fee due after the date on which status as a small entity is no longer appropriate. (37 CFR 1.25(b))

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code, and that such willful false statements may jeopardize the validity of the application, any patent issuing thereon, or any patent to which this verified statement is directed.

NAME OF PERSON SIGNING: Mohan Iyer

TITLE OF PERSON SIGNING \_\_\_\_\_

OTHER THAN OWNER: Vice President, Business Development

ADDRESS OF PERSON SIGNING: diADEXUS, LLC.

3303 Octavius Drive

Santa Clara, CA 95054

SIGNATURE:

Mohan Iyer

DATE:

7/17/00

002720" 95587500

**METHOD OF DIAGNOSING, MONITORING, STAGING, IMAGING AND  
TREATING COLON CANCER**

**INTRODUCTION**

5           This application is a continuation-in-part of PCT Application PCT/US99/10498, filed May 12, 1999, which claims the benefit of priority from U.S. Provisional Application Serial No. 60/086,266 filed May 21, 1998.

**10   FIELD OF THE INVENTION**

          This invention relates, in part, to newly developed assays for detecting, diagnosing, monitoring, staging, prognosticating, imaging and treating cancers, particularly colon cancer.

**15   BACKGROUND OF THE INVENTION**

          Cancer of the colon is a highly treatable and often curable disease when localized to the bowel. It is one of the  
20 most frequently diagnosed malignancies in the United States as well as the second most common cause of cancer death. Surgery is the primary treatment and results in cure in approximately 50% of patients. However, recurrence following surgery is a major problem and often is the ultimate cause of  
25 death.

          The prognosis of colon cancer is clearly related to the degree of penetration of the tumor through the bowel wall and the presence or absence of nodal involvement. These two characteristics form the basis for all staging systems  
30 developed for this disease. Treatment decisions are usually made in reference to the older Duke's or the Modified Astler-Coller (MAC) classification scheme for staging.

          Bowel obstruction and bowel perforation are indicators of poor prognosis in patients with colon cancer. Elevated

002129 9558T960

pretreatment serum levels of carcinoembryonic antigen (CEA) and of carbohydrate antigen 19-9 (CA 19-9) also have a negative prognostic significance.

Age greater than 70 years at presentation is not a  
5 contraindication to standard therapies. Acceptable morbidity and mortality, as well as long-term survival, are achieved in this patient population.

Because of the frequency of the disease (approximately 160,000 new cases of colon and rectal cancer per year), the  
10 identification of high-risk groups, the demonstrated slow growth of primary lesions, the better survival of early-stage lesions, and the relative simplicity and accuracy of screening tests, screening for colon cancer should be a part of routine care for all adults starting at age 50, especially those with  
15 first-degree relatives with colorectal cancer.

Procedures used for detecting, diagnosing, monitoring, staging, and prognosticating colon cancer are of critical importance to the outcome of the patient. For example, patients diagnosed with early colon cancer generally have a  
20 much greater five-year survival rate as compared to the survival rate for patients diagnosed with distant metastasized colon cancer. New diagnostic methods which are more sensitive and specific for detecting early colon cancer are clearly needed.

Colon cancer patients are closely monitored following  
25 initial therapy and during adjuvant therapy to determine response to therapy and to detect persistent or recurrent disease of metastasis. There is clearly a need for a colon cancer marker which is more sensitive and specific in  
30 detecting colon cancer, its recurrence, and progression.

Another important step in managing colon cancer is to determine the stage of the patient's disease. Stage determination has potential prognostic value and provides criteria for designing optimal therapy. Generally,  
35 pathological staging of colon cancer is preferable over

09618596-071700



clinical staging because the former gives a more accurate prognosis. However, clinical staging would be preferred were it at least as accurate as pathological staging because it does not depend on an invasive procedure to obtain tissue for  
5 pathological evaluation. Staging of colon cancer would be improved by detecting new markers in cells, tissues, or bodily fluids which could differentiate between different stages of invasion.

Accordingly, there is a great need for more sensitive  
10 and accurate methods for the staging of colon cancer in a human to determine whether or not such cancer has metastasized and for monitoring the progress of colon cancer in a human which has not metastasized for the onset of metastasis.

In the present invention, methods are provided for  
15 detecting, diagnosing, monitoring, staging, prognosticating, imaging and treating colon cancer via a colon specific gene referred to herein as CSG. For purposes of the present invention, CSG refers, among other things, to native protein expressed by the gene comprising a polynucleotide sequence of  
20 SEQ ID NO:1. By "CSG" it is also meant herein polynucleotides which, due to degeneracy in genetic coding, comprise variations in nucleotide sequence as compared to SEQ ID NO: 1 but which still encode the same protein. In the alternative, what is meant by CSG as used herein, means the  
25 native mRNA encoded by the gene comprising the polynucleotide sequence of SEQ ID NO: 1, levels of the gene comprising the polynucleotide sequence of SEQ ID NO: 1, or levels of a polynucleotide which is capable of hybridizing under stringent conditions to the antisense sequence of SEQ ID NO: 1. SEQ ID  
30 NO:1 is also referred to as Cln106.

Other objects, features, advantages and aspects of the present invention will become apparent to those of skill in the art from the following description. It should be understood, however, that the following description and the  
35 specific examples, while indicating preferred embodiments of

09618596-071700

the invention are given by way of illustration only. Various changes and modifications within the spirit and scope of the disclosed invention will become readily apparent to those skilled in the art from reading the following description and  
5 from reading the other parts of the present disclosure.

## SUMMARY OF THE INVENTION

Toward these ends, and others, it is an object of the present invention to provide a method for diagnosing the presence of colon cancer by analyzing for changes in levels of CSG in cells, tissues or bodily fluids compared with levels of CSG in preferably the same cells, tissues, or bodily fluid type of a normal human control, wherein a change in levels of CSG in the patient versus the normal human control is associated with colon cancer.

Further provided is a method of diagnosing metastatic colon cancer in a patient having colon cancer which is not known to have metastasized by identifying a human patient suspected of having colon cancer that has metastasized; analyzing a sample of cells, tissues, or bodily fluid from such patient for CSG; comparing the CSG levels in such cells, tissues, or bodily fluid with levels of CSG in preferably the same cells, tissues, or bodily fluid type of a normal human control, wherein an increase in CSG levels in the patient versus the normal human control is associated with colon cancer which has metastasized.

Also provided by the invention is a method of staging colon cancer in a human which has such cancer by identifying a human patient having such cancer; analyzing a sample of  
30 cells, tissues, or bodily fluid from such patient for CSG; comparing CSG levels in such cells, tissues, or bodily fluid with levels of CSG in preferably the same cells, tissues, or bodily fluid type of a normal human control sample, wherein an increase in CSG levels in the patient versus the normal  
35 human control is associated with a cancer which is progressing

or at a more advanced stage and a decrease in the levels of CSG is associated with a cancer which is regressing or at a lower stage or in remission.

Further provided is a method of monitoring colon cancer in a human having such cancer for the onset of metastasis. The method comprises identifying a human patient having such cancer that is not known to have metastasized; periodically analyzing a sample of cells, tissues, or bodily fluids from such patient for CSG; comparing the CSG levels in such cells, tissues, or bodily fluids with levels of CSG in preferably the same cells, tissues, or bodily fluid type of a normal human control sample, wherein an increase in CSG levels in the patient versus the normal human control is associated with a cancer which has metastasized.

Further provided is a method of monitoring the change in stage of colon cancer in a human having such cancer by looking at levels of CSG in a human having such cancer. The method comprises identifying a human patient having such cancer; periodically analyzing a sample of cells, tissues, or bodily fluids from such patient for CSG; comparing the CSG levels in such cells, tissues, or bodily fluids with levels of CSG in preferably the same cells, tissues, or bodily fluid type of a normal human control sample, wherein an increase in CSG levels in the patient versus the normal human control is associated with a cancer which is progressing and a decrease in the levels of CSG is associated with a cancer which is regressing or in remission.

Further provided are methods of designing new therapeutic agents targeted to a CSG for use in imaging and treating colon cancer. For example, in one embodiment, therapeutic agents such as antibodies targeted against CSG or fragments of such antibodies can be used to treat, detect or image localization of CSG in a patient for the purpose of detecting or diagnosing a disease or condition. In this image embodiment, an increase in the amount of labeled antibody

09618596-071700

detected as compared to normal tissue would be indicative of tumor metastases or growth. Such antibodies can be polyclonal, monoclonal, or omniclonal or prepared by molecular biology techniques. The term "antibody", as used herein and  
5 throughout the instant specification is also meant to include aptamers and single-stranded oligonucleotides such as those derived from an *in vitro* evolution protocol referred to as SELEX and well known to those skilled in the art. Antibodies can be labeled with a variety of detectable labels and  
10 therapeutic agents including, but not limited to, radioisotopes and paramagnetic metals. Therapeutic agents such as small molecules and antibodies which decrease the concentration and/or activity of CSG can also be used in the treatment of diseases characterized by overexpression of CSG.  
15 Such agents can be readily identified in accordance with teachings herein.

Other objects, features, advantages and aspects of the present invention will become apparent to those of skill in the art from the following description. It should be understood, however, that the following description and the specific examples, while indicating preferred embodiments of the invention, are given by way of illustration only. Various changes and modifications within the spirit and scope of the disclosed invention will become readily apparent to those skilled in the art from reading the following description and from reading the other parts of the present disclosure.

## DETAILED DESCRIPTION OF THE INVENTION

The present invention relates to, inter alia, diagnostic  
30 assays and methods, both quantitative and qualitative for  
detecting, diagnosing, monitoring, staging and prognosticating  
cancer, and in particular colon cancer, by comparing levels  
of CSG in a human patient with those of CSG in a normal human  
control. It has now been found the CSG levels are elevated  
35 in colon cancer tissue as compared to normal tissue. For

09618596.07.17.00

purposes of the present invention, what is meant by CSG levels is, among other things, native protein expressed by the gene comprising a polynucleotide sequence of SEQ ID NO: 1. By "CSG" it is also meant herein polynucleotides which, due to degeneracy in genetic coding, comprise variations in nucleotide sequence as compared to SEQ ID NO: 1, but which still encode the same protein. The native protein being detected may be whole, a breakdown product, a complex of molecules or chemically modified. In the alternative, what is meant by CSG as used herein, means the native mRNA encoded by the gene comprising the polynucleotide sequence of SEQ ID NO: 1 levels of the gene comprising the polynucleotide sequence of SEQ ID NO: 1 or levels of a polynucleotide which is capable of hybridizing under stringent conditions to the antisense sequence of SEQ ID NO: 1. SEQ ID NO:1 is also referred to as Cln106. Levels of CSG are preferably determined in at least one of cells, tissues and/or bodily fluids, including determination of normal and abnormal levels. Thus, for instance, a diagnostic assay in accordance with the invention for diagnosing overexpression of CSG protein compared to normal control bodily fluids, cells, or tissue samples may be used to diagnose the presence of colon cancer.

All the methods of the present invention may optionally include determining the levels of other cancer markers as well as CSG. Other cancer markers, in addition to CSG, useful in the present invention are known to those of skill in the art.

#### ***Diagnostic Assays***

The present invention provides methods for diagnosing the presence of cancer, and in particular colon cancer, by analyzing for changes in levels of CSG in cells, tissues or bodily fluids compared with levels of CSG in cells, tissues or bodily fluids of preferably the same type from a normal human control, wherein an increase in levels of CSG in the patient versus the normal human control is associated with the presence of colon cancer.

Without limiting the instant invention, typically, for a quantitative diagnostic assay a positive result indicating the patient being tested has cancer is one in which cells, tissues or bodily fluid levels of the cancer marker, such as  
5 CSG, are at least two times higher, and most preferably are at least five times higher, than in preferably the same cells, tissues or bodily fluid of a normal human control.

The present invention also provides a method of diagnosing metastatic colon cancer in a patient having colon  
10 cancer which has not yet metastasized for the onset of metastasis. In the method of the present invention, a human cancer patient suspected of having colon cancer which may have metastasized (but which was not previously known to have metastasized) is identified. This is accomplished by a  
15 variety of means known to those of skill in the art.

In the present invention, determining the presence of CSG levels in cells, tissues or bodily fluid, is particularly useful for discriminating between colon cancer which has not metastasized and colon cancer which has metastasized.  
20 Existing techniques have difficulty discriminating between colon cancer which has metastasized and colon cancer which has not metastasized and proper treatment selection is often dependent upon such knowledge.

In the present invention, the cancer marker levels  
25 measured in such cells, tissues or bodily fluid is CSG, and are compared with levels of CSG in preferably the same cells, tissues or bodily fluid type of a normal human control. That is, if the cancer marker being observed is CSG in serum, this level is preferably compared with the level of CSG in serum  
30 of a normal human control. An increase in the CSG in the patient versus the normal human control is associated with colon cancer which has metastasized.

Without limiting the instant invention, typically, for a quantitative diagnostic assay a positive result indicating  
35 the cancer in the patient being tested or monitored has

00618596-071700

metastasized is one in which cells, tissues or bodily fluid levels of the cancer marker, such as CSG, are at least two times higher, and most preferably are at least five times higher, than in preferably the same cells, tissues or bodily fluid of a normal patient.

Normal human control as used herein includes a human patient without cancer and/or non cancerous samples from the patient; in the methods for diagnosing or monitoring for metastasis, normal human control may preferably also include samples from a human patient that is determined by reliable methods to have colon cancer which has not metastasized.

### ***Staging***

The invention also provides a method of staging colon cancer in a human patient. The method comprises identifying a human patient having such cancer and analyzing cells, tissues or bodily fluid from such human patient for CSG. The CSG levels determined in the patient are then compared with levels of CSG in preferably the same cells, tissues or bodily fluid type of a normal human control, wherein an increase in CSG levels in the human patient versus the normal human control is associated with a cancer which is progressing or at a higher stage and a decrease in the levels of CSG (but generally still increased over true normal levels) is associated with a cancer which is regressing or at a lower stage or in remission.

### ***Monitoring***

Further provided is a method of monitoring colon cancer in a human patient having such cancer for the onset of metastasis. The method comprises identifying a human patient having such cancer that is not known to have metastasized; periodically analyzing cells, tissues or bodily fluid from such human patient for CSG; and comparing the CSG levels determined in the human patient with levels of CSG in preferably the same cells, tissues or bodily fluid type of a normal human control, wherein an increase in CSG levels in the

human patient versus the normal human control is associated with a cancer which has metastasized. In this method, normal human control samples may also include prior samples from the same patient.

5 Further provided by this invention is a method of monitoring the change in stage of colon cancer in a human patient having such cancer. The method comprises identifying a human patient having such cancer; periodically analyzing cells, tissues or bodily fluid from such human patient for  
10 CSG; and comparing the CSG levels determined in the human patient with levels of CSG in preferably the same cells, tissues or bodily fluid type of a normal human control, wherein an increase in CSG levels in the human patient versus the normal human control is associated with a cancer which is  
15 progressing in stage and a decrease in the levels of CSG is associated with a cancer which is regressing in stage or in remission. In this method, normal human control samples may also include prior patient samples.

Monitoring a patient for onset of metastasis is periodic  
20 and preferably done on a quarterly basis. However, this may be done more or less frequently depending on the cancer, the particular patient, and the stage of the cancer.

***Prognostic Testing and Clinical Trial Monitoring***

The methods described herein can further be utilized as  
25 prognostic assays to identify subjects having or at risk of developing a disease or disorder associated with increased levels of CSG. The present invention provides a method in which a test sample is obtained from a human patient and a CSG is detected. The presence of higher CSG levels as compared  
30 to normal human controls is diagnostic for the human patient being at risk for developing cancer, specifically colon cancer.

The effectiveness of therapeutic agents to decrease expression or activity of the CSG of the invention can also  
35 be monitored by analyzing levels of expression of the CSG in

09618596-071700



a human patient, e.g. during treatment, in clinical trials or in *in vitro* screening assays such as in human cells. In this way, the CSG expression pattern can serve as a marker, indicative of the physiological response of the human patient, or cells as the case may be, to the agent being tested or being used to treat the patient.

#### ***Detection of genetic lesions or mutations***

The methods of the present invention can also be used to detect genetic lesions or mutations in a CSG, thereby determining if a human with the genetic lesion is at risk for colon cancer or has colon cancer. Genetic lesions can be detected, for example, by ascertaining the existence of a deletion and/or addition and/or substitution of one or more nucleotides from the CSG of this invention, a chromosomal rearrangement of a CSG, aberrant modification of CSG (such as of the methylation pattern of the genomic DNA), the presence of a non-wild type splicing pattern of a mRNA transcript of a CSG, allelic loss of a CSG, and/or inappropriate post-translational modification of a CSG protein. Methods to detect such lesions in the CSG of this invention are known to those of skill in the art.

#### ***Assay Techniques***

Assay techniques that can be used to determine levels of gene expression (including protein levels), such as CSG of the present invention, in a sample derived from a patient are well known to those of skill in the art. Such assay methods include, without limitation, radioimmunoassays, reverse transcriptase PCR (RT-PCR) assays, immunohistochemistry assays, *in situ* hybridization assays, competitive-binding assays, Western Blot analyses, ELISA assays and proteomic approaches, two-dimensional gel electrophoresis (2D electrophoresis) and non-gel based approaches such as mass spectrometry or protein interaction profiling. Among these, ELISAs are frequently preferred to diagnose a gene's expressed protein in biological fluids.

An ELISA assay initially comprises preparing an antibody, if not readily available from a commercial source, specific to CSG, preferably a monoclonal antibody. In addition a reporter antibody generally is prepared which binds specifically to CSG. The reporter antibody is attached to a detectable reagent such as radioactive, fluorescent or enzymatic reagent, for example horseradish peroxidase enzyme or alkaline phosphatase.

To carry out the ELISA, antibody specific to CSG is incubated on a solid support, e.g. a polystyrene dish, that binds the antibody. Any free protein binding sites on the dish are then covered by incubating with a non-specific protein such as bovine serum albumin. Next, the sample to be analyzed is incubated in the dish, during which time CSG binds to the specific antibody attached to the polystyrene dish. Unbound sample is washed out with buffer. A reporter antibody specifically directed to CSG and linked to a detectable reagent such as horseradish peroxidase is placed in the dish resulting in binding of the reporter antibody to any monoclonal antibody bound to CSG. Unattached reporter antibody is then washed out. Reagents for peroxidase activity, including a colorimetric substrate are then added to the dish. Immobilized peroxidase, linked to CSG antibodies, produces a colored reaction product. The amount of color developed in a given time period is proportional to the amount of CSG protein present in the sample. Quantitative results typically are obtained by reference to a standard curve.

A competition assay can also be employed wherein antibodies specific to CSG are attached to a solid support and labeled CSG and a sample derived from the host are passed over the solid support. The amount of label detected which is attached to the solid support can be correlated to a quantity of CSG in the sample.

09618596-071700

Using all or a portion of a nucleic acid sequence of a CSG of the present invention as a hybridization probe, nucleic acid methods can also be used to detect levels of CSG mRNA as a marker for colon cancer. Polymerase chain reaction (PCR) and other nucleic acid methods, such as ligase chain reaction (LCR) and nucleic acid sequence based amplification (NASBA), can be used to detect cells for diagnosis and monitoring of various malignancies. For example, reverse-transcriptase PCR (RT-PCR) is a powerful technique which can be used to detect the presence of a specific mRNA population in a complex mixture of thousands of other mRNA species. In RT-PCR, an mRNA species is first reverse transcribed to complementary DNA (cDNA) with use of the enzyme reverse transcriptase; the cDNA is then amplified as in a standard PCR reaction. RT-PCR can thus reveal by amplification the presence of a single species of mRNA. Accordingly, if the mRNA is highly specific for the cell that produces it, RT-PCR can be used to identify the presence and/or absence of a specific type of cell.

Hybridization to clones or oligonucleotides arrayed on a solid support (*i.e.* gridding) can be used to both detect the expression of and quantitate the level of expression of the gene. In this approach, all or a portion of a cDNA encoding the CSG gene is fixed to a substrate. The substrate may be of any suitable type including but not limited to glass, nitrocellulose, nylon or plastic. At least a portion of the DNA encoding the CSG gene is attached to the substrate and then incubated with the analyte, which may be RNA or a complementary DNA (cDNA) copy of the RNA, isolated from the tissue of interest. Hybridization between the substrate bound DNA and the analyte can be detected and quantitated by several means including but not limited to radioactive labeling or fluorescence labeling of the analyte or a secondary molecule designed to detect the hybrid. Quantitation of the level of gene expression can be done by comparison of the intensity of the signal from the analyte compared with that determined from

known standards. The standards can be obtained by *in vitro* transcription of the target gene, quantitating the yield, and then using that material to generate a standard curve.

Of the proteomic approaches, 2D electrophoresis is a technique well known to those skilled in the art. Isolation of individual proteins from a sample such as serum is accomplished using sequential separation of proteins by different characteristics usually on polyacrylamide gels. First, proteins are separated by size using an electric current. The current acts uniformly on all proteins, so smaller proteins move farther on the gel than larger proteins. The second dimension applies a current perpendicular to the first and separates proteins not on the basis of size but on the specific electric charge carried by each protein. Since no two proteins with different sequences are identical on the basis of both size and charge, the result of a 2D separation is a square gel in which each protein occupies a unique spot. Analysis of the spots with chemical or antibody probes, or subsequent protein microsequencing can reveal the relative abundance of a given protein and the identity of the proteins in the sample.

The above tests can be carried out on samples derived from a variety of cells, bodily fluids and/or tissue extracts such as homogenates or solubilized tissue obtained from a patient. Tissue extracts are obtained routinely from tissue biopsy and autopsy material. Bodily fluids useful in the present invention include blood, urine, saliva or any other bodily secretion or derivative thereof. By blood it is meant to include whole blood, plasma, serum or any derivative of blood.

#### ***In Vivo Targeting of CSG/Colon Cancer Therapy***

Identification of this CSG is also useful in the rational design of new therapeutics for imaging and treating cancers, and in particular colon cancer. For example, in one embodiment, antibodies which specifically bind to the CSG can

be raised and used *in vivo* in patients suspected of suffering from colon cancer associated with increased levels of CSG. Antibodies which specifically bind the CSG can be injected into a patient suspected of having colon cancer for diagnostic and/or therapeutic purposes. Thus, another aspect of the present invention provides for a method for preventing the onset and treatment of colon cancer in a human patient in need of such treatment by administering to the patient an effective amount of an antibody to CSG. By "effective amount" it is meant the amount or concentration of antibody needed to bind to the target antigens expressed on the tumor to cause tumor shrinkage for surgical removal, or disappearance of the tumor. The binding of the antibody to the overexpressed CSG is believed to cause the death of the cancer cell expressing such CSG. The antibodies can be administered alone or with other therapeutic agents known to those in the art.

The preparation and use of antibodies for *in vivo* diagnosis and treatment is well known in the art. For example, antibody-chelators labeled with Indium-111 have been described for use in the radioimmunoscentographic imaging of carcinoembryonic antigen expressing tumors (Sumerdon et al. Nucl. Med. Biol. 1990 17:247-254). In particular, these antibody-chelators have been used in detecting tumors in patients suspected of having recurrent colorectal cancer (Griffin et al. J. Clin. Onc. 1991 9:631-640). Antibodies with paramagnetic ions as labels for use in magnetic resonance imaging have also been described (Lauffer, R.B. Magnetic Resonance in Medicine 1991 22:339-342). Antibodies directed against CSG can be used in a similar manner. Labeled antibodies which specifically bind CSG can be injected into patients suspected of having colon cancer for the purpose of diagnosing, monitoring or staging of the disease status of the patient. The label used will be selected in accordance with the imaging modality to be used. For example, radioactive labels such as Indium-111, Technetium-99m or Iodine-131 can

be used for planar scans or single photon emission computed tomography (SPECT). Positron emitting labels such as Fluorine-19 can be used in positron emission tomography. Paramagnetic ions such as Gadlinium (III) or Manganese (II) can be used in magnetic resonance imaging (MRI). Presence of the label, as compared to imaging of normal tissue, permits determination of the spread of the cancer. The amount of label within an organ or tissue also allows determination of the presence or absence of cancer in that organ or tissue.

10 Antibodies which can be used in *in vivo* methods include polyclonal, monoclonal and omniclonal antibodies and antibodies prepared via molecular biology techniques. Antibody fragments and aptamers and single-stranded oligonucleotides such as those derived from an *in vitro* evolution protocol referred to as SELEX and well known to those skilled in the art can also be used.

#### ***Screening Assays***

The present invention also provides methods for identifying modulators which bind to CSG protein of the invention or have a modulatory effect on the expression or activity of CSG protein of this invention. Modulators which decrease the expression or activity of CSG protein of the invention are believed to be useful in treating colon cancer. Such screening assays are known to those of skill in the art and include, without limitation, cell-based assays and cell free assays.

Small molecules predicted via computer imaging to specifically bind to regions of CSG can also be designed, synthesized and tested for use in the imaging and treatment of colon cancer. Further, libraries of molecules can be screened for potential anticancer agents by assessing the ability of the molecule to bind to the CSG identified herein. Molecules identified in the library as being capable of binding to CSG are key candidates for further evaluation for use in the treatment of colon cancer. In a preferred

embodiment, these molecules will downregulate expression and/or activity of CSG in cells.

***Adoptive Immunotherapy and Vaccines***

Adoptive immunotherapy of cancer refers to a therapeutic approach in which immune cells with an antitumor reactivity are administered to a tumor-bearing host, with the aim that the cells mediate either directly or indirectly, the regression of an established tumor. Transfusion of lymphocytes, particularly T lymphocytes, falls into this category and investigators at the National Cancer Institute (NCI) have used autologous reinfusion of peripheral blood lymphocytes or tumor-infiltrating lymphocytes (TIL), T cell cultures from biopsies of subcutaneous lymph nodules, to treat several human cancers (Rosenberg, S. A., U.S. Patent No. 4,690,914, issued Sep. 1, 1987; Rosenberg, S. A., et al., 1988, N. England J. Med. 319:1676-1680).

The present invention relates to compositions and methods of adoptive immunotherapy for the prevention and/or treatment of primary and metastatic colon cancer in humans using macrophages sensitized to the antigenic CSG molecule of this invention, with or without non-covalent complexes of heat shock protein (hsp). Antigenicity or immunogenicity of the CSG of the invention is readily confirmed by the ability of the CSG protein or a fragment thereof to raise antibodies or educate naive effector cells, which in turn lyse target cells expressing the antigen (or epitope).

Cancer cells are, by definition, abnormal and contain proteins which should be recognized by the immune system as foreign since they are not present in normal tissues. However, the immune system often seems to ignore this abnormality and fails to attack tumors. The foreign CSG protein of this invention that are produced by the cancer cells can be used to reveal their presence. The CSG is broken into short fragments, called tumor antigens, which are displayed on the surface of the cell. These tumor antigens

are held or presented on the cell surface by molecules called MHC, of which there are two types: class I and II. Tumor antigens in association with MHC class I molecules are recognized by cytotoxic T cells while antigen-MHC class II  
5 complexes are recognized by a second subset of T cells called helper cells. These cells secrete cytokines which slow or stop tumor growth and help another type of white blood cell, B cells, to make antibodies against the tumor cells.

In adoptive immunotherapy, T cells or other antigen  
10 presenting cells (APCs) are stimulated outside the body (ex vivo), using the tumor specific CSG antigens of the present invention. The stimulated cells are then reinfused into the patient where they attack the cancerous cells. Research has shown that using both cytotoxic and helper T cells is far more  
15 effective than using either subset alone. Additionally, the CSG antigen may be complexed with heat shock proteins to stimulate the APCs as described in U.S. Patent No. 5,985,270.

The APCs can be selected from among those antigen  
presenting cells known in the art, including but not limited  
20 to macrophages, dendritic cells, B lymphocytes, and a combination thereof, and are preferably macrophages. In a preferred use, wherein cells are autologous to the individual, autologous immune cells such as lymphocytes, macrophages or other APCs are used to circumvent the issue of whom to select  
25 as the donor of the immune cells for adoptive transfer. Another problem circumvented by use of autologous immune cells is graft versus host disease which can be fatal if unsuccessfully treated.

In adoptive immunotherapy with gene therapy, DNA of the  
30 CSG of the invention can be introduced into effector cells similarly as in conventional gene therapy. This can enhance the cytotoxicity of the effector cells to tumor cells as they have been manipulated to produce the antigenic protein resulting in improvement of the adoptive immunotherapy.

09618596 071700



CSG antigens of this invention are also useful as components of colon cancer vaccines. The vaccine comprises an immunogenically stimulatory amount of a CSG antigen of the present invention. Immunogenically stimulatory amount refers to that amount of antigen that is able to invoke the desired immune response in the recipient for the amelioration, or treatment of colon cancer. Effective amounts may be determined empirically by standard procedures well known to those skilled in the art.

10           The CSG antigen can be provided in any one of a number  
of vaccine formulations which are designed to induce the  
desired type of immune response, e.g., antibody and/or cell  
mediated. Such formulations are known in the art and include,  
but are not limited to, formulations such as those described  
15 in U.S. Patent 5,585,103. Vaccine formulations of the present  
invention used to stimulate immune responses can also include  
pharmaceutically acceptable adjuvants.

[illegible]

What is claimed is:

1. A method for diagnosing the presence of colon cancer in a patient comprising:

(a) determining levels of CSG in cells, tissues or  
5 bodily fluids in a patient; and

(b) comparing the determined levels of CSG with levels of CSG in cells, tissues or bodily fluids from a normal human control, wherein a change in determined levels of CSG in said patient versus normal human control is associated with the presence of colon cancer.

2. A method of diagnosing metastases of colon cancer in a patient comprising:

(a) identifying a patient having colon cancer that is  
15 not known to have metastasized;

(b) determining CSG levels in a sample of cells, tissues, or bodily fluid from said patient; and

(c) comparing the determined CSG levels with levels of CSG in cells, tissue, or bodily fluid of a normal human control, wherein an increase in determined CSG levels in the patient versus the normal human control is associated with a cancer which has metastasized.

3. A method of staging colon cancer in a patient  
25 having colon cancer comprising:

(a) identifying a patient having colon cancer;

(b) determining CSG levels in a sample of cells, tissue, or bodily fluid from said patient; and

(c) comparing determined CSG levels with levels of CSG  
30 in cells, tissues, or bodily fluid of a normal human control,  
wherein an increase in determined CSG levels in said patient  
versus the normal human control is associated with a cancer  
which is progressing and a decrease in the determined CSG  
levels is associated with a cancer which is regressing or in  
35 remission.

4. A method of monitoring colon cancer in a patient for the onset of metastasis comprising:

(a) identifying a patient having colon cancer that is not known to have metastasized;

5 (b) periodically determining levels of CSG in samples of cells, tissues, or bodily fluid from said patient; and

(c) comparing the periodically determined CSG levels with levels of CSG in cells, tissues, or bodily fluid of a normal human control, wherein an increase in any one of the  
10 periodically determined CSG levels in the patient versus the normal human control is associated with a cancer which has metastasized.

5. A method of monitoring a change in stage of colon  
15 cancer in a patient comprising:

(a) identifying a patient having colon cancer;

(b) periodically determining levels of CSG in cells, tissues, or bodily fluid from said patient; and

(c) comparing the periodically determined CSG levels  
20 with levels of CSG in cells, tissues, or bodily fluid of a normal human control, wherein an increase in any one of the periodically determined CSG levels in the patient versus the normal human control is associated with a cancer which is progressing in stage and a decrease is associated with a  
25 cancer which is regressing in stage or in remission.

6. A method of identifying potential therapeutic agents for use in imaging and treating colon cancer comprising screening molecules for an ability to bind to CSG or decrease  
30 expression of CSG relative to CSG in the absence of the agent wherein the ability of a molecule to bind to CSG or decrease expression of CSG is indicative of the molecule being useful in imaging and treating colon cancer.

00718596.071700

7. The method of claim 1, 2, 3, 4, 5 or 6 wherein the CSG comprises SEQ ID NO:1 or a polypeptide encoded thereby.

8. An antibody which specifically binds a polypeptide  
5 encoded by SEQ ID NO: 1.

9. A method of imaging colon cancer in a patient comprising administering to the patient an antibody of claim 8.

10

10. The method of claim 9 wherein said antibody is labeled with paramagnetic ions or a radioisotope.

11. A method of treating colon cancer in a patient  
15 comprising administering to the patient a molecule which downregulates expression or activity of CSG.

12. A method of inducing an immune response against a target cell expressing CSG comprising delivering to a human  
20 patient an immunogenically stimulatory amount of a CSG protein so that an immune response is mounted against the target cell.

09618596 07400

**ABSTRACT**

The present invention provides new methods for detecting, diagnosing, monitoring, staging, prognosticating,  
5 imaging and treating colon cancer.

09613596 071700

Docket No.  
DEX-0075

# Declaration and Power of Attorney For Patent Application

## English Language Declaration

As a below named inventor, I hereby declare that:

My residence, post office address and citizenship are as stated below next to my name,

I believe I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled

**METHOD OF DIAGNOSING, MONITORING, STAGING, IMAGING AND TREATING COLON CANCER**

the specification of which

(check one)

☒ is attached hereto.

☐ was filed on \_\_\_\_\_ as United States Application No. or PCT International Application Number \_\_\_\_\_ and was amended on \_\_\_\_\_

(if applicable)

I hereby state that I have reviewed and understand the contents of the above identified specification, including the claims, as amended by any amendment referred to above.

I acknowledge the duty to disclose to the United States Patent and Trademark Office all information known to me to be material to patentability as defined in Title 37, Code of Federal Regulations, Section 1.56.

I hereby claim foreign priority benefits under Title 35, United States Code, Section 119(a)-(d) or Section 365(b) of any foreign application(s) for patent or inventor's certificate, or Section 365(a) of any PCT International application which designated at least one country other than the United States, listed below and have also identified below, by checking the box, any foreign application for patent or inventor's certificate or PCT International application having a filing date before that of the application on which priority is claimed.

Prior Foreign Application(s)

Priority Not Claimed

\_\_\_\_\_  
(Number)

\_\_\_\_\_  
(Country)

\_\_\_\_\_  
(Day/Month/Year Filed)

☐

\_\_\_\_\_  
(Number)

\_\_\_\_\_  
(Country)

\_\_\_\_\_  
(Day/Month/Year Filed)

☐

\_\_\_\_\_  
(Number)

\_\_\_\_\_  
(Country)

\_\_\_\_\_  
(Day/Month/Year Filed)

☐

I hereby claim the benefit under 35 U.S.C. Section 119(e) of any United States provisional application(s) listed below:

60/086,266

May 21, 1998

(Application Serial No.)

(Filing Date)

(Application Serial No.)

(Filing Date)

(Application Serial No.)

(Filing Date)

I hereby claim the benefit under 35 U. S. C. Section 120 of any United States application(s), or Section 365(c) of any PCT International application designating the United States, listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in the prior United States or PCT International application in the manner provided by the first paragraph of 35 U.S.C. Section 112, I acknowledge the duty to disclose to the United States Patent and Trademark Office all information known to me to be material to patentability as defined in Title 37, C. F. R., Section 1.56 which became available between the filing date of the prior application and the national or PCT International filing date of this application:

PCT/US99/10498

May 12, 1999

(Application Serial No.)

(Filing Date)

(Status)  
(patented, pending, abandoned)

(Application Serial No.)

(Filing Date)

(Status)  
(patented, pending, abandoned)

(Application Serial No.)

(Filing Date)

(Status)  
(patented, pending, abandoned)

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

POWER OF ATTORNEY: As a named inventor, I hereby appoint the following attorney(s) and/or agent(s) to prosecute this application and transact all business in the Patent and Trademark Office connected therewith. *(list name and registration number)*

Jane Massey Licata, Reg. No. 32,257

Kathleen A. Tyrrell, Reg. No. 38,350

Laura Plunkett, Reg. No. 45,015

of the firm

Law Offices of Jane Massey Licata  
66 E. Main Street  
Marlton, NJ 08053

Send Correspondence to: Kathleen A. Tyrrell  
Law Offices of Jane Massey Licata  
66 E. Main Street  
Marlton, NJ 08053

Direct Telephone Calls to: *(name and telephone number)*

Kathleen A. Tyrrell Tel: 856-810-1515

00220"9558T960

Full name of sole or first inventor <b>Roberto A. Macina</b>	
Sole or first inventor's signature	Date
Residence <b>San Jose, CA</b>	
Citizenship <b>Argentina</b>	
Post Office Address <b>4118 Crescendo Avenue</b>	
<b>San Jose, CA 95136</b>	

Full name of second inventor, if any <b>Yongming Sun</b>	
Second inventor's signature	Date
Residence <b>San Jose, CA</b>	
Citizenship <b>China</b>	
Post Office Address <b>869 S. Winchester Blvd.</b>	
<b>San Jose, CA 95128</b>	



# SEQUENCE LISTING

<110> Macina, Roberto A.  
Sun, Yongming

<120> A Novel Method of Diagnosing, Monitoring, Staging,  
Imaging and Treating Colon Cancer

<130> DEX-0075

<140>

<141>

<150> 60/086,266

<151> 1998-05-21

<150> PCT/US99/10498

<151> 1999-05-12

<160> 1

<170> PatentIn Ver. 2.0

<210> 1

<211> 2608

<212> DNA

<213> Homo sapiens

<400> 1

```

gctgatagca cagttctgtc cagagaagga aggcggaata aacttattca ttcccaggaa 60
ctcttggggt aggtgtgtgt ttttcacatc ttaaaggctc acagaccctg cgctggacaa 120
atgttccatt cctgaaggac ctctccagaa tccggattgc tgaatcttcc ctgttgccca 180
gaagggtccc aaaccacctc ttgacaatgg gaaactgggt ggtaaccac tggttttcag 240
ttttgtttct ggttggttgg ttagggctga atgttttctt gtttgtggat gccttccctga 300
aatatgagaa ggccgacaaa tactactaca caagaaaaat ccttgggtca acattggcct 360
gtgcccagac gtctgtctct tgcttgaatt ttaacagcac gctgacccct cttcctgtgt 420
gtcgcaatct gctgtccttc ctgaggggca cctgctcatt ttgcagccgc aacttgagaa 480
agcaattgga tcacaacctc accttccaca agctgggtgg ctatatgac tgccctacata 540
cagctattca catcattgca cacctgttta actttgactg ctatagcaga agccgacagg 600
ccacagatgg ctoccttgcc tccattctct ccagccctac tcatgatgag aaaaaggggg 660
gttcttgggt aaatcccatc cagtcccga acacgacagt ggagtatgtg acattcacca 720
gcgttgctgg tctcactgga gtgatcatga caatagcctt gattctcatg gtaacttcag 780
ctactgagtt catccggagg agttattttg aagtcttctg gtatactcac cactttttta 840
tcttctatat ccttggctta gggattcacg gcattggtgg aattgtccgg ggtcaaacag 900
aggagagcat gaatgagagt catcctcgca agtgtgcaga gtcttttgag atgtgggatg 960
atcgtagctc cactgttagg cgccctaagt ttgaagggca tccccctgag tcttggagat 1020
ggatccttgc accggtcatt ctttatact gtgaaaggat cctccggttt taccgctccc 1080
agcagaaggt tgtgattacc aagggtgtta tgcacccatc caaagttttg gaattgcaga 1140

```

09618595.071700

tgaacaagcg	tggttcagc	atggaagtgg	ggcagtatat	ctttgttaat	tgccccctcaa	1200
tctctctcct	ggaatggcat	ccttttactt	tgacctctgc	tccagaggaa	gatttcttct	1260
ccattcatat	ccgagcagca	ggggactgga	cagaaaatct	cataagggct	ttcgaacaac	1320
aatattcacc	aattcccagg	attgaagtgg	atgggccctt	tggcacagcc	agtgaggatg	1380
ttttccagta	tgaagtggct	gtgctgggtg	gagcaggaat	tggggtcacc	ccctttgctt	1440
ctatcttgaa	atccatctgg	tacaaattcc	agtgtgcaga	ccacaacctc	aaaacaaaaa	1500
agatctatct	ctactggatc	tgcaaggaga	caggtgcctt	ttcctgggtc	aacaacctgt	1560
tgacttccct	ggaacaggag	atggaggaat	taggcaaagt	gggttttcta	aactaccgtc	1620
tcttcctcac	cggatgggac	agcaatattg	ttggtcatgc	agcattaaac	tttgacaagg	1680
ccactgacat	cgtgacaggt	ctgaaacaga	aaacctcctt	tgggagacca	atgtgggaca	1740
atgagttttc	tacaatagct	acctcccacc	ccaagtctgt	agtgggagtt	ttcttatgtg	1800
gcccccgga	tttggcaaag	agcctgcgca	aatgctgtca	ccgatattcc	agtctggatc	1860
ctagaaaggt	tcaattctac	ttcaacaaag	aaaatttttg	agttatagga	ataaggacgg	1920
taatctgcat	tttgtctctt	tgtatcttca	gtaattgagt	tataggaata	aggacggtaa	1980
tctgcatttt	gtctctttgt	atcttcagta	atttacttgg	tctcttcagg	tttgancagt	2040
cacttttagat	aagaatgtgc	ctctcaagcc	ttgactccct	ggtattcttt	ttttgattgc	2100
attcaacttc	gttacttgag	cttcagcaac	ttaagaactt	ctgaagttct	ttaaagttctg	2160
aantttctta	agcccatgga	tcctttctca	gaaaaataac	tgtaaattct	tctggacagc	2220
catgactgta	gcaaggcttg	atagcagaag	tttgggtggt	canaattata	caactaatcc	2280
caggtgattt	tatcaattcc	agtgttacca	tctcctgagt	tttggtttgt	aatcttttgt	2340
ccctcccacc	cccacagaag	attttaagta	gggtgacttt	ttaaataaaa	atttattgaa	2400
taattaatga	taaaacataa	taataaacat	aaataataaa	caaaattacc	gagaacccca	2460
tccccatata	acaccaacag	tgtacatggt	tactgtcact	tttgatatgg	tttatccagt	2520
gtgaacagca	atttattatt	tttgctcatc	aaaaaataaa	ggattttttt	tcacttgaaa	2580
aaaaaaaaaa	aaaaaaaaaa	aaaaaaaaaa				2608